
# newline



### THE UNMATCHED ALL-IN-ONE UNIFIED COLLABORATION SOLUTION

The PTC Series is an all-in-one UHD solution for collaboration that is immersive, unified and effective. P-Cap touch technology enables a more accurate, responsive touch for a smooth and intuitive writing experience as natural as writing on a paper. The unique Optical Bonding technology reduces light reflection and parallax effect to provide the best visual experience possible.

PTC Series is the pioneer of workspace innovation, maximizing the efficiency of meetings and discussions. Share files, ideas and notes remotely and seamlessly with the tools you prefer and the devices you have, and never let another idea slip away. Join the workstyle revolution with Newline PTC Series and embrace new ways of engagement and collaboration.

#### Ideal for corporate environments that require video conference capabilities.

The built-in Newline collaboration solutions enable secure wireless presentation and remote collaboration that connects users from different geographical locations through the cloud:

CAST WORKSPACE LAUNCHCONTROL

## **PTC** Series

Mo	del	TT-6519PTC	TT-7519PTC	TT-8619PTC
			Display	
Back	light		LED	
Display	y Area	1428 × 804 mm	1650 × 928 mm	1895 × 1066 mm
Active Sci	reen Size	65"	75"	86"
Display	/ Ratio		16:9	
Resol	ution		3840 × 2160 Pixels	
Display Color Depth		8-bit	8-bit	10-bit
Brightness			≥ 320 nit	
Contrast Ratio			4000:1	
Viewing Angle		178°		
Life Time			≥ 50,000 hours	
			Built-in Microphone	
Quantity			4	
Pick-up Distance			8 m	
			Built-in Camera	
Position			Bottom × 1	
Angle of View			90°	
Video Resolution			1920 × 1080	
		Electrical		
		Maximum ≤ 300 W	Maximum ≤ 400 W	Maximum ≤ 450 W
Power Cor	isumption	Standby Mode ≤ 0.5 W	Standby Mode ≤ 0.5 W	Standby Mode ≤ 0.5 W
Working Voltage			AC 100-240 V	
			Touch	
Touch Surface		Optical Bonding Anti-Glare & Anti-Fingerprint Glass		
Transparency		88% ± 3		
Touch Technology		P-Capacitive Touch		
Touch Points		20 Points		
Touch Resolution			32767 × 32767	
Communicat	ion Interface		USB	
			Transportation/ Storage	
Storage Temperature/ Humidity		-20°C - 60°C/ 20 - 93% RH		
Working Temperature/ Humidity			-10℃ - 45℃/ 20 - 93% RH	
Mounting (Optional)		4500 045 04	Wall Mount/ Floor Stand	1077 1150 01
Outline Dimensions		1509 × 865 × 86 mm	1731 × 1010 × 86 mm	1977 × 1150 × 86 mm
Packing Dimensions		1640 × 1036 × 221 mm	1859 × 1136 × 247 mm	2119 × 1281 × 275 mm
Net Weight Gross Weight		36 kg	49.5 kg	57.5 kg
Gross \	weight	50.5 kg	69 kg	80 kg
		ا (۱۹۵ م. ۱۹۵ م. ۱۹۵ م. ۱۹۵ م. ۱۹۵ م. ۱۹۵ م. ۱۹۵	Ports	
Inputs		USB 2.0(Android) × 1, USB 3.0(Dynamic) × 2, HDMI In × 2, VGA In × 1, Audio In × 1, RJ45 × 1, RS232 × 1, MIC In × 1, Type C × 1, OPS Slot × 1, AC In × 1		
Outputs		HDMI Out × 1, USB 3.0(Touch) × 1, Earphone × 1, SPDIF × 1,		
OPS Slot		4K@60Hz/30Hz		
		Mainboard		
RAM		4GB		
ROM		32GB		
Android Version		8.0		
		Soundbar		
	Max Resolution	3840 × 2160		
		90°		
Camera	Angle of View		90°	
Camera	Angle of View Sensor		90° 1/2.5 CMOS Sensor	

### newline

HEADQUARTERS (TX, USA) 101 East Park Blvd. Suite 807 Plano, TX 75074, USA TEL: +1 888 233 0868 info@newline-interactive.com ASIA PACIFIC OFFICE (Taipei, Taiwan) 17F, No. 653, Bannan Rd, Zhonghe Dist, New Taipei City 235, Taiwan TEL: +886 2 8228 2089 info\_ap@newline-interactive.com

EUROPE OFFICE (Madrid, Spain) Ronda de Poniente, N'2, 1st floor, Oficina 1B, 28760, Tres Cantos, Madrid, Spain TEL: +34 911169178 info\_eu@newline-interactive.com

#### INDIA OFFICE (Chennai) Room No. 203, No. 37, TTK Road, Alwarpet, Chennai, Tamil Nadu, India, 600018 TEL: 1 800 419 0309 info.in@newline-interactive.com

KOREA OFFICE (Seoul, South Korea) A816, 8F, 401 Yangcheon-ro, Gangseo-gu, Seoul, 07528 Korea TEL: +82 2 2638 5140 koreainfo@newline-interactive.com

newline-interactive.com

2019 Newline Interactive Inc. Specification may vary by region, please contact our local offices for details. Actual product features and specifications are subject to change without notice. This material may include corporate names and trademarks of third parties which are the properties of the third parties respectively.